

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Allivar-----	85	Not limited		Not limited		Not limited	
Ar: Arlo-----	90	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00
		Depth to saturated zone	1.00				0.60
AvB: Arvilla-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
Ba: Badger-----	85	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.96	Very limited Flooding	1.00
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Restricted permeability	0.96	Flooding	0.40	Restricted permeability	0.96
BbA: Barnes-----	85	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26
BbB: Barnes-----	80	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Slope	0.50
						Restricted permeability	0.26
BcB: Barnes-----	60	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Slope	0.50
						Restricted permeability	0.26
Buse-----	30	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Slope	0.88
						Restricted permeability	0.26

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BeA: Brandt-----	85	Not limited		Not limited		Not limited	
BeB: Brandt-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
Bf: Brookings-----	85	Not limited		Not limited		Not limited	
BgC: Buse-----	55	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Very limited Slope	1.00
						Restricted permeability	0.26
Barnes-----	30	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Very limited Slope	1.00
						Restricted permeability	0.26
BgD: Buse-----	50	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26
Barnes-----	35	Somewhat limited Slope Restricted permeability	0.63 0.26	Somewhat limited Slope Restricted permeability	0.63 0.26	Very limited Slope Restricted permeability	1.00 0.26
BhC: Buse-----	55	Somewhat limited Too Stony Restricted permeability	0.53 0.26	Somewhat limited Too Stony Restricted permeability	0.53 0.26	Very limited Slope Too Stony	1.00 0.53
						Restricted permeability	0.26
Barnes-----	35	Somewhat limited Too Stony Restricted permeability	0.53 0.26	Somewhat limited Too Stony Restricted permeability	0.53 0.26	Very limited Slope Too Stony	1.00 0.53
						Restricted permeability	0.26

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BhE: Buse-----	65	Very limited Slope Too Stony Restricted permeability	1.00 0.53 0.26	Very limited Slope Too Stony Restricted permeability	1.00 0.53 0.26	Very limited Slope Too Stony Restricted permeability	1.00 0.53 0.26
Barnes-----	20	Very limited Slope Too Stony Restricted permeability	1.00 0.53 0.26	Very limited Slope Too Stony Restricted permeability	1.00 0.53 0.26	Very limited Slope Too Stony Restricted permeability	1.00 0.53 0.26
BkE: Buse-----	60	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26
Lamoure-----	20	Very limited Flooding  Depth to saturated zone	1.00  1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding  Depth to saturated zone	1.00  1.00
BoE: Buse-----	60	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26
Langhei-----	25	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26
BpD: Buse-----	50	Somewhat limited Slope Restricted permeability	0.63 0.26	Somewhat limited Slope Restricted permeability	0.63 0.26	Very limited Slope Restricted permeability	1.00 0.26
Poinsett-----	40	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
BrD: Buse-----	55	Very limited Slope Content of large stones	1.00 0.98	Very limited Slope Content of large stones	1.00 0.98	Very limited Slope Content of large stones	1.00 1.00

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Poinsett-----	35	Too Stony Restricted permeability	0.53 0.26	Too Stony Restricted permeability	0.53 0.26	Too Stony Restricted permeability	0.53 0.26
		Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
BsC: Buse-----	55	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Very limited Slope	1.00
						Restricted permeability	0.26
Singsaas-----	30	Not limited		Not limited		Very limited Slope	1.00
BxE: Buse-----	55	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26	Very limited Slope Restricted permeability	1.00 0.26
Sioux-----	30	Very limited Slope Gravel content	1.00 0.25	Very limited Slope Gravel content	1.00 0.25	Very limited Slope Gravel content	1.00 1.00
Ca: Castlewood-----	90	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too clayey	1.00	Too clayey	1.00
		Too clayey	1.00	Restricted permeability	0.96	Restricted permeability	0.96
		Restricted permeability	0.96			Flooding	0.60
Ch: Chaska-----	90	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Flooding Depth to saturated zone	0.40 0.19	Very limited Flooding Depth to saturated zone	1.00 0.39
Cm: Clamo-----	90	Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too clayey	1.00	Restricted permeability	0.96	Restricted permeability	0.96
		Restricted permeability	0.96			Flooding	0.60
Co: Cubden-----	60	Not limited		Not limited		Not limited	
Badger-----	30	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.96	Very limited Flooding	1.00
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Restricted permeability	0.96	Flooding	0.40	Restricted permeability	0.96
Ct: Cubden-----	50	Not limited		Not limited		Not limited	
Tonka-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Restricted permeability	0.96
DaB: Darnen-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
DcA: Davis-----	90	Not limited		Not limited		Not limited	
DcB: Davis-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
Dm: Dimo-----	90	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.03	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.07			Depth to saturated zone	0.07
Dn: Divide-----	80	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
DoB: Doland-----	85	Somewhat limited		Somewhat limited		Somewhat limited	

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.26	Restricted permeability	0.26	Slope	0.50
						Restricted permeability	0.26
DsA: Doland-----	55	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26
Svea-----	25	Not limited		Not limited		Not limited	
EaB: Egan-----	65	Not limited		Not limited		Somewhat limited Slope	0.50
Ethan-----	25	Not limited		Not limited		Somewhat limited Slope	0.50
EeB: Egan-----	35	Not limited		Not limited		Somewhat limited Slope	0.50
Wentworth-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
Trent-----	20	Not limited		Not limited		Not limited	
EgA: Egeland-----	50	Not limited		Not limited		Not limited	
Embden-----	45	Not limited		Not limited		Not limited	
EgB: Egeland-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Embden-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
EnA: Enet-----	90	Not limited		Not limited		Not limited	
EsA: Estelline-----	90	Not limited		Not limited		Not limited	
EsB: Estelline-----	85	Not limited		Not limited		Somewhat limited Slope	0.50

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EtB: Estelline-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Sioux-----	30	Somewhat limited Gravel content	0.25	Somewhat limited Gravel content	0.25	Very limited Gravel content Slope	1.00 0.50
EvD: Ethan-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Clarno-----	35	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
EwC: Ethan-----	50	Not limited		Not limited		Very limited Slope	1.00
Egan-----	45	Not limited		Not limited		Very limited Slope	1.00
Fa: Fairdale-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Fb: Fordtown-----	85	Not limited		Not limited		Not limited	
Fc: Fordtown-----	55	Not limited		Not limited		Not limited	
Spottswood-----	30	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.03	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.07			Depth to saturated zone	0.07
FdA: Fordville-----	90	Not limited		Not limited		Not limited	
FrB: Fordville-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Renshaw-----	30	Not limited		Not limited		Somewhat limited Slope	0.50

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Gs: Goldsmith-----	90	Not limited		Not limited		Not limited	
Hb: Hamerly-----	55	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26
Badger-----	30	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.96	Very limited Flooding	1.00
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Restricted permeability	0.96	Flooding	0.40	Restricted permeability	0.96
Hc: Hamerly-----	40	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26
Cavour-----	30	Very limited Sodium content	1.00	Very limited Sodium content	1.00	Very limited Sodium content	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Restricted permeability	0.96
Badger-----	20	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.96	Very limited Flooding	1.00
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Restricted permeability	0.96	Flooding	0.40	Restricted permeability	0.96
HeA: Hetland-----	90	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability	0.96
HeB: Hetland-----	90	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability Slope	0.96 0.50
KrA: Kranzburg-----	55	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26



Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Brookings-----	30	Not limited		Not limited		Not limited	
KrB: Kranzburg-----	65	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Slope  Restricted permeability	0.50  0.26
Brookings-----	25	Not limited		Not limited		Not limited	
La: La Prairie-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Lc: La Prairie-----	85	Not limited		Not limited		Not limited	
Ld: Ladelle-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
Le: Lamo-----	90	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.26	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Restricted permeability	0.26			Restricted permeability	0.26
Lk: Lamoure-----	75	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
		Depth to saturated zone	1.00				
Lm: Lamoure-----	65	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Flooding	0.40	Depth to saturated zone	1.00
Rauville-----	25	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.40	Flooding	1.00

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LnB: Lanona-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Swenoda-----	25	Not limited		Not limited		Somewhat limited Slope	0.12
Lo: Lowe-----	85	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00
		Depth to saturated zone	1.00				0.60
Lr: Lowe-----	50	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00
		Depth to saturated zone	1.00				0.60
Ludden-----	35	Very limited Flooding	1.00	Very limited		Very limited	
		Too clayey	1.00	Too clayey	1.00	Flooding	1.00
		Restricted permeability	0.96	Restricted permeability Flooding	0.96	Too clayey	1.00
					0.40	Restricted permeability	0.96
Ls: Ludden-----	85	Very limited Flooding	1.00	Very limited		Very limited	
		Too clayey	1.00	Too clayey	1.00	Flooding	1.00
		Restricted permeability	0.96	Restricted permeability Flooding	0.96	Too clayey	1.00
					0.40	Restricted permeability	0.96
Lu: Ludden-----	45	Very limited Flooding	1.00	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Too clayey	1.00	Too clayey	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.96	Restricted permeability	0.96	Too clayey	1.00
		Salinity	0.50	Salinity	0.50	Restricted permeability	0.96
				Flooding	0.40	Salinity	0.50
Ludden-----	40	Very limited Flooding	1.00	Very limited Too clayey	1.00	Very limited Flooding	1.00

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
M-W: Miscellaneous Water Areas-----	100	Too clayey	1.00	Restricted permeability	0.96	Too clayey	1.00
		Restricted permeability	0.96	Flooding	0.40	Restricted permeability	0.96
		Not rated		Not rated		Not rated	
MaB: Maddock-----	55	Not limited		Not limited		Somewhat limited Slope	0.50
Egeland-----	35	Not limited		Not limited		Somewhat limited Slope	0.50
MaC: Maddock-----	65	Not limited		Not limited		Very limited Slope	1.00
Egeland-----	25	Not limited		Not limited		Very limited Slope	1.00
MeA: Maddock-----	50	Not limited		Not limited		Not limited	
Embden-----	40	Not limited		Not limited		Not limited	
Mr: Marysland-----	85	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00
		Depth to saturated zone	1.00				0.60
Mt: Mcintosh-----	55	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39
Badger-----	30	Very limited Flooding	1.00	Somewhat limited Restricted permeability	0.96	Very limited Flooding	1.00
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone	0.98
		Restricted permeability	0.96	Flooding	0.40	Restricted permeability	0.96

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mu: Mcintosh-----	60	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39
Lamoure-----	25	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Flooding	0.40	Depth to saturated zone	1.00
Mw: Minnewaukan-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Ponding	1.00	Ponding	1.00
		Ponding	1.00	Too sandy	0.89	Too sandy	0.89
		Too sandy	0.89			Flooding	0.60
						Gravel content	0.22
Mz: Moritz-----	50	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.03	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.07			Depth to saturated zone	0.07
Lamoure-----	35	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Flooding	0.40	Depth to saturated zone	1.00
Od: Oldham-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.49	Restricted permeability	0.49	Restricted permeability	0.49
Og: Orthents, Gravelly--	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Gravel content	1.00
		Gravel content	0.25	Gravel content	0.25	Slope	1.00
Or: Orthents, Loamy-----	95	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Slope	0.88

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pa: Parnell-----	90					Restricted permeability	0.26
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Ponding	1.00	Depth to	1.00
		Ponding	1.00	Depth to	1.00	saturated zone	1.00
PbB: Poinsett-----	35	Restricted permeability	0.96	Restricted permeability	0.96	Ponding	1.00
						Restricted permeability	0.96
		Not limited		Not limited			
						Somewhat limited Slope	0.50
Buse-----	25	Somewhat limited		Somewhat limited		Somewhat limited	
		Restricted permeability	0.26	Restricted permeability	0.26	Slope	0.88
						Restricted permeability	0.26
Waubay-----	20	Not limited		Not limited		Not limited	
PbC: Poinsett-----	35	Not limited		Not limited		Very limited Slope	1.00
Buse-----	30	Somewhat limited		Somewhat limited		Very limited Slope	1.00
		Restricted permeability	0.26	Restricted permeability	0.26	Restricted permeability	0.26
						Somewhat limited Slope	0.50
Waubay-----	20	Not limited		Not limited			
PwA: Poinsett-----	55	Not limited		Not limited		Not limited	
Waubay-----	30	Not limited		Not limited		Not limited	
PwB: Poinsett-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Waubay-----	25	Not limited		Not limited		Not limited	
Ra: Rauville-----	80	Very limited		Very limited		Very limited	

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rp: Rauville-----	90	Depth to saturated zone Flooding	1.00	Depth to saturated zone Flooding	1.00	Depth to saturated zone Flooding	1.00
			1.00		0.40		1.00
		Very limited Depth to saturated zone Flooding	1.00	Very limited Depth to saturated zone Flooding	1.00	Very limited Depth to saturated zone Flooding	1.00
			1.00		0.40		1.00
RsB: Renshaw-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Sioux-----	30	Somewhat limited Gravel content	0.25	Somewhat limited Gravel content	0.25	Very limited Gravel content Slope	1.00 0.50
RsC: Renshaw-----	50	Not limited		Not limited		Very limited Slope	1.00
Sioux-----	40	Somewhat limited Gravel content	0.25	Somewhat limited Gravel content	0.25	Very limited Slope Gravel content	1.00 1.00
Rw: Renwash-----	90	Not limited		Not limited		Not limited	
SbB: Singsaas-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Buse-----	30	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Slope  Restricted permeability	0.88  0.26
ScA: Singsaas-----	60	Not limited		Not limited		Not limited	
Waubay-----	30	Not limited		Not limited		Not limited	
ScB: Singsaas-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Waubay-----	25	Not limited		Not limited		Not limited	

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShD: Sioux-----	45	Somewhat limited Slope Gravel content	0.63 0.25	Somewhat limited Slope Gravel content	0.63 0.25	Very limited Slope Gravel content	1.00 1.00
Renshaw-----	35	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
ShE: Sioux-----	55	Very limited Slope Gravel content	1.00 0.25	Very limited Slope Gravel content	1.00 0.25	Very limited Slope Gravel content	1.00 1.00
Renshaw-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
So: Southam-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
		Restricted permeability Salinity	0.96 0.13	Restricted permeability Salinity	0.96 0.13	Restricted permeability Salinity	0.96 0.13
Sp: Spottswood-----	85	Very limited Flooding Depth to saturated zone	1.00 0.07	Somewhat limited Depth to saturated zone	0.03	Somewhat limited Flooding Depth to saturated zone	0.60 0.07
SrA: Strayhoss-----	85	Not limited		Not limited		Not limited	
SrB: Strayhoss-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
StB: Strayhoss-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Maddock-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
SvA: Svea-----	90	Not limited		Not limited		Not limited	

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SwA: Swenoda-----	55	Not limited		Not limited		Not limited	
Lanona-----	35	Not limited		Not limited		Not limited	
To: Tonka-----	90	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96	Very limited Depth to saturated zone Ponding Restricted permeability	1.00 1.00 0.96
Tr: Trent-----	90	Not limited		Not limited		Not limited	
VaA: Venagro-----	60	Not limited		Not limited		Not limited	
Svea-----	20	Not limited		Not limited		Not limited	
VaB: Venagro-----	65	Not limited		Not limited		Somewhat limited Slope	0.50
Svea-----	20	Not limited		Not limited		Not limited	
VbA: Vienna-----	60	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26
Brookings-----	30	Not limited		Not limited		Not limited	
VbB: Vienna-----	65	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Slope Restricted permeability	0.50 0.26
Brookings-----	20	Not limited		Not limited		Not limited	
VnB: Vienna-----	65	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Slope Restricted permeability	0.50 0.26



Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Buse-----	25	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Somewhat limited Slope  Restricted permeability	0.88  0.26
VnC: Vienna-----	55	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Very limited Slope  Restricted permeability	1.00  0.26
Buse-----	30	Somewhat limited Restricted permeability	0.26	Somewhat limited Restricted permeability	0.26	Very limited Slope  Restricted permeability	1.00  0.26
W: Water-----	100	Not rated		Not rated		Not rated	
Wa: Wakonda-----	70	Not limited		Not limited		Not limited	
Chancellor-----	20	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Restricted permeability	0.96	Depth to saturated zone	1.00
		Restricted permeability	0.96	Flooding	0.40	Restricted permeability	0.96
Wb: Waubay-----	90	Not limited		Not limited		Not limited	
WeA: Wentworth-----	65	Not limited		Not limited		Not limited	
Trent-----	25	Not limited		Not limited		Not limited	
Wo: Worthing-----	90	Very limited Depth to saturated zone	1.00	Very limited Ponding	1.00	Very limited Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Ponding	1.00

Recreation Table 1  
Brookings County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.96	Restricted permeability	0.96	Restricted permeability	0.96